

Regulatory Compliance Testing

Sonoma Lab Works
 1201 Corporate Center Parkway
 Santa Rosa, CA 95407
 Phone: (707)757-7757
www.sonomalabworks.com



SONOMA LABWORKS

License: C8-000015-LIC

Certificate of Analysis

Distributor:	<i>Kind House Inc</i>	Client:	<i>CRFT Manufacturing</i>
Distributor Address:	<i>2765 Giffen Ave, Santa Rosa CA</i>	Client Address:	<i>2330 Circadian Way, Santa Rosa CA</i>
Distributor License #:	<i>C11-0000937-LIC</i>	Client License #:	<i>CDPH-10002270</i>
Date Collected:	<i>08/26/2020</i>	Batch #:	<i>20R006536</i>
Date Received:	<i>8/26/2020</i>	Dates of Analysis:	<i>8/27/2020 - 8/27/2020</i>

Sample Code:	<i>20C002581</i>
Sample Type:	<i>Inhalable</i>
Sample Matrix:	<i>Extract</i>
Sample Name:	<i>CBD 4:1 Vapes</i>
METRC Tag:	<i>1A406030000601A000105745</i>
Total Batch:	<i>2004 Units</i>
Primary Sample:	<i>20 Units</i>

Test Summary

Overall Batch Result	Pass	
Total Calculated d9-THC (%)	13.27	Pass
Total d9 THC (mg) per package	66.36	
Total Calculated CBD (%)	54.70	
Total CBD (mg) per package	273.52	
Total Cannabinoids (%)	72.67	
Residual Solvents (Detect/No Detect)	Detect	Pass
Microbial Result (Pass/Fail)	ND	Pass
Pesticide Screen (Detect/No Detect)	Detect	Pass
Heavy Metals Screen (Detect/No Detect)	ND	Pass
Mycotoxin Screen (Detect/No Detect)	ND	Pass
Total Terpenes (%)	2.74	Pass
Percent Moisture (%)	NT	NT
Water Activity (Aw)	NT	NT
Foreign Material (Present/Absent)	ND	Pass



Sample Information

Density (g/ml)	N/A
Average Weight per Package (g)	0.50

David Chen
 Laboratory Director
david@sonomalabworks.com

8/27/2020

Date



All results in this report apply to samples collected in accordance with CA Code of Regulations Title 16 Article 3. This report is generated by Sonoma Lab Works, LLC and contains confidential and/or legally privileged information from Sonoma Lab Works, LLC. If you are not the client listed in this report, or the client this report is issued to, you are hereby notified that any disclosure, copying, electronic dissemination, electronic archiving, or distribution of this information or the taking of any action in reliance on the contents of this report is strictly prohibited. Sonoma Lab Works, LLC cannot determine putative resulting hazards associated with materials submitted for analysis, and reserves the right to dispose. Sonoma Lab Works, LLC cannot assume responsibility for the effect or impact of field sampling methodologies and techniques as they can affect sample analyses. The client listed in this report is singularly responsible for all use, interpretation, and reliance of results contained within this report. Uncertainty measurements available upon request.

Regulatory Compliance Testing

Certificate of Analysis V8.2.2 Revision: 3/28/19 DC

Potency Test Result		Extract			
SOP: [BLW-CC] Method: HPLC Date Tested: 8/27/2020					
Target Analyte	% Test	mg/g	LOD mg/g	LOQ mg/g	Pass/Fail
CBDA	3.76	37.60	0.005	0.025	N/A
CBGA	ND	ND	0.005	0.025	N/A
CBG	1.03	10.28	0.005	0.025	N/A
CBD	51.41	514.06	0.005	0.025	N/A
THCV	0.15	1.51	0.005	0.025	N/A
CBN	0.41	4.09	0.005	0.025	N/A
THCA	ND	ND	0.005	0.025	Pass
Delta 9-THC (d9-THC)	13.27	132.72	0.005	0.025	Pass
Delta 8-THC (d8-THC)	ND	ND	0.005	0.025	N/A
CBC	2.64	26.44	0.005	0.025	N/A

*All cannabinoid results calculated in accordance with 5724. of CA Code of Regulations Title 16

Residual Solvent Screen - Category 1				California Limit - All Products
SOP: [BLW-RS] Method: GCMS Date Tested: 8/27/2020				
Target Analyte	PPM (ug/g)	LOD (ug/g)	LOQ (ug/g)	Pass/Fail
1,2-Dichloroethane	ND	1	1	Pass
Benzene	ND	1	1	Pass
Chloroform	ND	1	1	Pass
Ethylene oxide	ND	1	1	Pass
Methylene chloride	ND	1	1	Pass
Trichloroethylene	ND	1	1	Pass

Residual Solvent Screen - Category 2					California Limit - Cannabis Product
SOP: [BLW-RS] Method: GCMS Date Tested: 8/27/2020					
Target Analyte	PPM	LOD (ug/g)	LOQ (ug/g)	PPM (ug/g)	Pass/Fail
Acetone	ND	100	500	5000	Pass
Acetonitrile	ND	5	41	410	Pass
Butane	ND	100	1000	5000	Pass
Ethanol	368.78	1	10	5000	Pass
Ethyl acetate	ND	100	500	5000	Pass
Ethyl ether	ND	100	500	5000	Pass
Heptane	ND	100	500	5000	Pass
Hexane	ND	1	29	290	Pass
Isopropyl Alcohol	ND	1	10	5000	Pass
Methanol	ND	100	300	3000	Pass
Pentane	ND	100	500	5000	Pass
Propane	ND	500	5000	5000	Pass
Toluene	ND	100	100	890	Pass
Total Xylenes	ND	1.0	10.0	2170	Pass

Microbial Screen		California Limit
SOP: [BLW-MC] Method: Plate Count Date Tested: 8/27/2020		
Microbiological Assay	Threshold	Pass/Fail
Salmonella	ND Detect/1 gram	Pass
Escherichia Coli (STEC)	ND Detect/1 gram	Pass
Aspergillus niger	ND Detect/1 gram	Pass
Aspergillus fumigatus	ND Detect/1 gram	Pass
Aspergillus flavus	ND Detect/1 gram	Pass
Aspergillus terreus	ND Detect/1 gram	Pass

Heavy Metals Screen				California Limit - Inhalable Cannabis
SOP: [BLW-MA] Method: ICPMS Date Tested: 8/27/2020				
Target Analyte	PPM	LOD (ug/g)	LOQ (ug/g)	Pass/Fail
Cadmium	ND	0.05	0.1	Pass
Lead	ND	0.05	0.1	Pass
Arsenic	ND	0.05	0.1	Pass
Mercury	ND	0.05	0.1	Pass

Mycotoxin Screen					California Limit
SOP: [BLW-MA] Method: LCMSMS Date Tested: 8/27/2020					
Target Analyte	PPB (ug/kg)	LOD (ug/kg)	LOQ (ug/kg)	PPB (ug/kg)	Pass/Fail
Aflatoxin B1	ND	1.0	4.0	20.00	Pass
Aflatoxin B2	ND	1.0	4.0	20.00	Pass
Aflatoxin G1	ND	1.0	4.0	20.00	Pass
Aflatoxin G2	ND	1.0	4.0	20.00	Pass
Total Aflatoxins	ND	4.0	16.0	20.00	Pass
Ochratoxin A	ND	1.0	4.0	20.00	Pass

Terpene Test Result				
SOP: [BLW-TA] GC/MS Date Tested: 8/27/2020				
Target Analyte	% Test	mg/g	LOD (mg/g)	LOQ (mg/g)
alpha-Bisabolol	0.15	1.45	0.02	0.10
Camphene	ND	ND	0.02	0.10
delta-3-Carene	ND	ND	0.02	0.10
beta-Caryophyllene	1.03	10.32	0.02	0.10
Caryophyllene Oxide	ND	ND	0.02	0.10
p-Cymene	ND	ND	0.02	0.10
Eucalyptol	ND	ND	0.02	0.10
Geraniol	ND	ND	0.02	0.10
Guaiol	0.07	0.67	0.02	0.10
alpha-Humulene	0.25	2.51	0.02	0.10
Isopulegol	ND	ND	0.02	0.10
delta-Limonene	0.24	2.35	0.02	0.10
Linalool	0.08	0.80	0.02	0.10
beta-Myrcene	0.71	7.07	0.02	0.10
Nerolidol 1	ND	ND	0.02	0.10
Nerolidol 2	0.06	0.63	0.02	0.10
beta-Ocimene	ND	ND	0.02	0.10
alpha-Ocimene	ND	ND	0.02	0.10
alpha-Pinene	0.11	1.06	0.02	0.10
beta-Pinene	0.04	0.35	0.02	0.10
alpha-Terpinene	ND	ND	0.02	0.10
Gamma-Terpinene	ND	ND	0.02	0.10
Terpinolene	ND	ND	0.02	0.10

Client:	CRFT Manufacturing
Client Address:	2330 Circadian Way, Santa Rosa CA
Client License#:	CDPH-10002270
Batch #	20R006536
Date of Analysis:	8/27/2020 - 8/27/2020
Sample Name:	CBD 4:1 Vapes

Percent Moisture (%)	N/A	California Limit
SOP: [BLW-MC] Method: Analyze Date Tested: 8/27/2020		
Water Activity (Aw)	N/A	N/A
SOP: [BLW-MC] Method: Analyze Date Tested: 8/27/2020		
Foreign Material	ND	Pass
SOP: [BLW-MC] Method: Visual Inspection Date Tested: 8/27/2020		

Pesticide Screen Result - Category 1				California Limit - All Products
SOP: [BLW-PA] Method: LCMSMS ES/IGCMSMS Date Tested: 8/27/2020				
Target Analyte	PPM (ug/g)	LOD (ug/g)	LOQ (ug/g)	Pass/Fail
Aldicarb	ND	0.02	0.08	Pass
Carbofuran	ND	0.02	0.08	Pass
Chlordane	ND	0.05	0.10	Pass
Chlorfenapyr	ND	0.05	0.10	Pass
Chlorpyrifos	ND	0.02	0.08	Pass
Coumaphos	ND	0.02	0.08	Pass
Daminozide	ND	0.02	0.08	Pass
Dichlorvos	ND	0.02	0.08	Pass
Dimethoate	ND	0.02	0.08	Pass
Ethionprop(hos)	ND	0.02	0.08	Pass
Etofenprox	ND	0.02	0.08	Pass
Fenoxycarb	ND	0.02	0.08	Pass
Fipronil	ND	0.02	0.08	Pass
Imazalil	ND	0.02	0.08	Pass
Methiocarb	ND	0.02	0.08	Pass
Methyl Parathion	ND	0.05	0.10	Pass
Mevinphos	ND	0.02	0.08	Pass
Paclotrazol	ND	0.02	0.08	Pass
Propoxur	ND	0.02	0.08	Pass
Spiroxamine	ND	0.02	0.08	Pass
Thiacloprid	ND	0.02	0.08	Pass

Pesticide Screen Result - Category 2					California Limit - Inhalable Cannabis
SOP: [BLW-PA] Method: LCMSMS ES/IGCMSMS Date Tested: 8/27/2020					
Target Analyte	PPM (ug/g)	LOD (ug/g)	LOQ (ug/g)	PPM (ug/g)	Pass/Fail
Acephate	ND	0.02	0.08	0.1	Pass
Acequinocyl	ND	0.02	0.08	0.1	Pass
Acetamiprid	ND	0.02	0.08	0.1	Pass
Avermectin B1a (Abamectin)	ND	0.02	0.08	0.1	Pass
Avermectin B1b (Abamectin)	ND	0.10	0.20	0.1	Pass
Azoxystrobin	ND	0.02	0.08	0.1	Pass
Bifenazate	<LOQ	0.02	0.08	0.1	Pass
Bifenthrin	ND	0.02	0.08	3.0	Pass
Boscalid	ND	0.02	0.08	0.1	Pass
Captan	ND	0.12	0.20	0.7	Pass
Carbaryl	ND	0.02	0.08	0.5	Pass
Chlorantraniliprole	ND	0.02	0.08	10.0	Pass
Cyflentazine	ND	0.02	0.08	0.1	Pass
Cyfluthrin	ND	0.02	0.10	2.0	Pass
Cypermethrin	ND	0.05	0.10	1.0	Pass
Diazinon	ND	0.02	0.08	0.1	Pass
Dimethomorph	ND	0.02	0.08	2.0	Pass
Etoxazole	ND	0.02	0.08	0.1	Pass
Fenhexamid	ND	0.02	0.08	0.1	Pass
Fenproyoximate	ND	0.02	0.08	0.1	Pass
Fonicamid	ND	0.02	0.08	0.1	Pass
Fludioxonil	ND	0.02	0.08	0.1	Pass
Hexythiazox	ND	0.02	0.08	0.1	Pass
Imidacloprid	ND	0.02	0.08	5.0	Pass
Kresoxim-methyl	ND	0.02	0.08	0.1	Pass
Malathion	ND	0.02	0.08	0.5	Pass
Metaxyl	ND	0.02	0.08	2.0	Pass
Methomyl	ND	0.02	0.08	1.0	Pass
Myclobutanil	ND	0.02	0.08	0.1	Pass
Naled	ND	0.02	0.08	0.1	Pass
Oxamyl	ND	0.02	0.08	0.5	Pass
Pentachloronitrobenzene	ND	0.05	0.10	0.1	Pass
Permethrin, CIS-	ND	0.02	0.08	0.5	Pass
Permethrin, Trans-	ND	0.02	0.08	0.5	Pass
Phosmet	ND	0.02	0.08	0.1	Pass
Piperonyl butoxide	ND	0.02	0.08	3.0	Pass
Prallethrin	ND	0.02	0.08	0.1	Pass
Propiconazole	ND	0.02	0.08	0.1	Pass
Pyrethrins	ND	0.02	0.08	0.5	Pass
Pyridaben	ND	0.02	0.08	0.1	Pass
Spinetoram	ND	0.02	0.08	0.1	Pass
Spinosyn A (Spinosad)	ND	0.02	0.08	0.1	Pass
Spinosyn D (Spinosad)	ND	0.08	0.16	0.1	Pass
Spiromesifen	ND	0.02	0.08	0.1	Pass
Spirotetramat	ND	0.02	0.08	0.1	Pass
Tebuconazole	ND	0.02	0.08	0.1	Pass
Thiamethoxam	ND	0.02	0.08	5.0	Pass
Trifloxystrobin	ND	0.02	0.08	0.1	Pass



All results have accompanying LQC samples adhering to section 5730 of CA Code of Regulations Title 16
 ND = None Detected, NT = Not Tested, N/A = Not Applicable,
 <LOQ = Less than Limit of Quantitation, LOD = Limit of Detection